

Identify and reduce common asthma triggers

A suggestion for implementing the strategy 'Create inclusive learning environments '

from the Guide: Asthma and learning

Includes: Common asthma triggers

Asthma and allergies

Allergen-free environment

Useful resources

From

Guide: Asthma and learning

Strategy: Create inclusive learning environments

Suggestion: Identify and reduce common asthma triggers

Date

18 April 2024

Link

inclusive.tki.org.nz/guides/asthma-and-learning/identify-and-reduce-common-asthma-triggers

Common asthma triggers

Common asthma triggers

Allergens



- · Pollen from trees, plants, and grasses, including freshly cut
- Animal dander from pets with fur or hair Dust mites in dust, carpeting, soft toys, pillows, and upholstery

Irritants



- Strong smells and sprays, such as perfumes, paints, cleaning solutions, talcum powder, and pesticides
- · Air pollutants
- · Cigarette and other tobacco smoke

Other triggers



- · Upper respiratory infections colds or flu
- · Changes in weather, exposure to cold air
- · Exercise running or playing hard especially in cold
- · Strong emotional expressions laughing or crying hard, stress, and anxiety

Reducing asthma triggers

- Mop and damp dust often.
- · Reduce classroom clutter and store materials in covered containers to make cleaning easier.
- · Use wood, tile, or vinyl floor coverings instead of carpet. If a classroom has carpet, vacuum it frequently when students are out of the classroom.
- · Keep pets with fur or hair out of the classroom.
- Use low-odour products for cleaning.
- · Minimise eating in the classroom to reduce pests. Food stored in the classroom should be in sealed containers. Clean spills immediately.
- Do not spray pesticides during school terms.
- · Do not use products with strong odors, such as perfumes and air
- If possible, on days with high pollen counts, keep windows closed. Provide alternative indoor activities.
- Report unusual odours, mould or moisture problems straight away.

Source:

Ministry of Education

View full image (411 KB)

From

Guide: Asthma and learning

Strategy: Create inclusive learning environments

Suggestion: Identify and reduce common asthma triggers

Date

18 April 2024

Link

inclusive.tki.org.nz/guides/asthma-and-learning/identify-and-reduce-common-asthma-triggers

Asthma and allergies

Allergens are a common cause of asthma.

Work in partnership with students, family, and whānu to identify potential asthma triggers in your learning environment.

The most common allergens that cause asthma are:

- dust mites
- ✓ dander from animals (skin, scales, and fur)
- ✓ rodent urine
- ✓ insect debris
- ✓ food dust
- ✓ pollens
- ✓ moulds

From

Guide: Asthma and learning

Strategy: Create inclusive learning environments

Suggestion: Identify and reduce common asthma triggers

Date

18 April 2024

Link

inclusive.tki.org.nz/guides/asthma-and-learning/identify-and-reduce-common-asthma-triggers

Allergen-free environment



Source:

Balestier Hill Primary https://flic.kr/p/NU9mMg

View full image (3.3 MB)

From

Guide: Asthma and learning

Strategy: Create inclusive learning environments

Suggestion: Identify and reduce common asthma triggers

Date

18 April 2024

Link

inclusive.tki.org.nz/guides/asthma-and-learning/identify-and-reduce-common-asthma-triggers

Useful resources



Common asthma triggers

Read time: 15 min

Information on a range of asthma triggers and ways to reduce or avoid those.

Publisher: Asthma + Respiratory Foundation, NZ

Visit website



Triggers in asthma

Read time: 19 min

Information on allergic and non-allergic asthma triggers and how to practically reduce and manage exposure to these in this downloadable booklet.

Publisher: Asthma + Respiratory Foundation, NZ

Download PDF

This information was downloaded/printed from the Ministry of Education's website "Inclusive Education". Except where otherwise noted it is Crown Copyright

Information on the Inclusive Education website is regularly updated so we recommend you check the website version of this information to ensure it remains current.